



SOUTHERN SHUTTER COMPANY

QUALITY MILLWORK PRODUCTS

Exterior & Interior Shutters • Gable Ventilators • Exterior & Interior Doors • Shutter Hardware





THE RIGHT SHUTTER?


What Style, What Size — and Then — What Details?



An almost endless selection of shutters means you'll certainly find what you're looking for. It also means you'll have your hands full making your decision.

To ensure you make a sound decision, we encourage arming your-self with information. Learning the ins and outs of different shutter styles will aid you in your quest for the perfect shutters. As you're deciding on the shutters for your home, you can rest easy knowing you've made the right choice selecting Southern Shutter Company.

There are three basic elements to consider when determining which wood shutters fit your needs and your preferences: shutter selection, hardware and installation. Each factor is equally



Mortise & Tenon construction enhances the strength and durability of your shutters. (L-R: fixed true louver, raised panel, movable louver)

important to the success of your shutter project.

Shutter Selection

What Style Do You Want? Movable Louvers or Fixed True Louvers? Raised Panels or Flat Panels with V-Groove or trim?



In the past many followed "rules" that determined which styles to use in specific locations on a home (i.e. panels on the first floor, louvers elsewhere), but today it's more a matter of personal taste.

Board & Batten shutters present distinctive looks including ranch-style, Mediterranean and traditional rustic appearances.

Bahama/Spandrel Shutters, hinged at the top and propped open at the bottom, can be created from 1 3/8" shutter profiles. Full length Bahama shutters convey a tropical feel. Popular as window accents, they often cover a portion of the window. Multiple substyles can be added to create spandrels.



Bahama Style True Louver Shutter



Board & Batten with Cutout

What Size Shutters Do You Need?

No matter which style of shutter you settle on, specifying the accurate size for your opening is imperative. Even if your shutters will not actually open and close, make sure you measure the shutter pocket — the area where the shutter would fit in the closed position — to maintain a functional appearance.



Rail Placement and Other Options

Shutters should mirror image the window. Rails should line up with the lock rail, transom, muntin or other architectural elements of the window.



Hardware

The hardware on your shutters plays a crucial role in their appearance. Before considering the options, you have to make a few basic decisions. Will your shutters be functional? What style is your house? What is your budget for shutters and shutter hardware? **Next, consider materials.** We recommend stainless steel hardware for coastal areas and any place

where high humidity and rust are a threat.

Finally, choose the style. The number of hardware styles is practically limitless, and your selection should be based predominantly on personal preference. Depending on your desired overall look, you will select from a variety of hinges, tie-backs, slidebolts, pull rings and other accessories.



Protection: Capping helps safeguard your shutter investment. Copper capping adds elegance to your shutters.



Installation

After selecting the right shutter style and complementary hardware for your house, here are a few steps you can take to help ensure the ordering process and installation go smoothly.

First, locate suitable mounting surfaces for your shutter hinges. Second, it is important to take precise measurements of every window individually. Window sizes may vary


slightly. For more details see the hardware section and exterior mounting guide.

Feel free to contact us if you have questions about taking accurate measurements.

GETTING STARTED



Anatomy of Mortise & Tenon Shutters. How to Measure.




Shutter Components

The more you understand the various shutter components, the better you can recognize how truly special shutters from Southern Shutter Company are and appreciate their superior quality.


Mortise & Tenon Construction

Southern Shutter offers mortise & tenon construction. This time-honored joinery method ensures greater stability and long-lasting durability.



Mortise & Tenon Frame Construction

SST.....	Side Stile Thickness
SSW.....	Side Stile Width
TR1.....	Top Rail Height
TR2.....	Top Rail Depth
CR1.....	Center Rail Height
CR2.....	Center Rail Depth
BR1.....	Bottom Rail Height
BR2.....	Bottom Rail Depth



Exterior Shutter Finishing Options

Quality shutters deserve a quality finish!
Exterior shutters may be ordered from the factory in varying stages of completion.

- **Option 1: Spray Primed.**
Each shutter is sanded and sprayed with a quality oil-based primer. Additional light sanding is required prior to finishing.
- **Option 2: Primed and Prepped.**
Each shutter is sanded, primed with two coats of oil-based primer, hand sanded and sealed. Ready for finishing.
- **Option 3: Primed and Finished.***
Each shutter is sanded, primed with two coats of oil-based primer and hand sanded again. The shutters are then finished with a top quality exterior paint of your choice.

* Please refer to our Online Southern Shutter Color Selections Chart for available paint colors.

Finishing options are separate charges. They are not included in the base shutter price. Finishing options may require a minimum square footage order. Call for quote.

Design Variations



Southern Shutter's Line of exterior Shutters can be customized to meet most specifications, including:

Style Combinations. Combining louvers with panels gives the designer a truly endless selection of possible combinations. Louver

styles include fixed and movable louvers in a variety of louver sizes. Panel shutters are available in raised or flat panels. Our V-Groove panel option adds a decorative touch.

Rail Placement. Rail placement allows for unique designs.

With up to five rail placements, the design variations are endless.

Special Custom Shapes. Curved and arch top designs are available in standard quarter arch or our craftsmen can follow a template for irregular curves such as the eyebrow, elliptical, or Gothic arch.

Copper Caps. Used primarily for a decorative touch that only copper can accomplish as it ages, these caps add to the beauty and durability of your exterior shutters.

Detailed Options. Rabbeting or ship-lapping, beaded ship-laps and horns are available on all shutters to add a decorative detail.

Decorative Trim Moulding. Decorative trim is offered in multiple profiles and available on most panel or louver styles.

Decorative Cutouts. Cutouts and carvings are offered in wide variety of designs. With our advanced CNC capabilities we can produce custom cutouts with virtually endless possibilities

Not all options are available on all shutters. Custom option charges are additional to the base shutter price. See pricing guide or call for quote.




INSTALLATION GUIDE

- Mounting Options. Choosing the Right Hardware •

Inside Mount


INSIDE MOUNT: TRIMMED POCKET

with wood or composite trim with appropriate depth for shutter pocket.
Note: Trim board must be as thick as the shutter, plus clearance for shutter rotation.




INSIDE MOUNT: BRICK OR MASONRY POCKET

with appropriate depth for shutter pocket.
Note: Strap and Pintel are equal allowing shutter to close flush.



INSIDE MOUNT: RECESSED TRIM POCKET


Allowing for closure inside window trim and throwing out and around structure.



Outside Mount

OUTSIDE MOUNT: NO POCKET

with little or no depth for shutter pocket.



How to Choose Correct Shutter Mounting Hardware

Terminology

- **Shutter Pocket** - The opening into which the shutters will close.
- **Pintel** - The male part of the hinge set that attaches to the house.
- **Strap** - The female part of the hinge set that attaches to the shutter.
- **Siding Material** - The siding material that is used on the house i.e. brick, plank, stucco.
- **Return Depth** - The distance in inches, from the window sash to the outer edge of the structure (See A).
- **Pintel Offset** - The distance in inches, between the plate that screws to the house and the pin that the strap sits on.
- **Strap Offset** - The distance in inches, from the pintel pin to the inner part of the shutter.
- **Hinge Throw** - The pintel offset plus the strap offset. The distance needed for the shutter to clear the structure when in the open position (See B).

Questions that must be answered.

- What type of siding is on the house around the window? Ex. Brick, stucco, stone, plank, vinyl...
- What type of moulding (180 brickmould, 1x4 flat mold, etc.) is around the window or does the siding material butt up to the window with no trim board at all?
- What is the return depth in inches, from the outside edge of the trim board to the face of the sash itself?
- How deep is the pocket or frame the shutter will close into.
- Where will the pintel be placed?

SHUTTER HARDWARE

• Mounting Hardware & Accessories •



Southern Shutter Company offers a complete line of quality hardware for any exterior application. Our hardware provides the finishing touch for your functional – as well as decorative – shutter installation.

We carry a variety of styles and finishes in our exterior line. Our L Hinges, as well as our Strap Hinges, are available in several offsets. We also have S-holdbacks (shutter dogs), bullet catches and slide bolts. Most exterior hardware can be purchased in powder coated black hot-rolled steel and powder coated black stainless steel.



1. Copper Shutter Caps



7. Hooks & Latches
(Stainless Steel Only)



2. 4" Lag Pintel



8. "S" Holdback & Latch



3. Plate Pintels



4. New York "L" Hinges



9. Slide Bolt



5. Straight Strap Hinges




10. Pull Rings
(Stainless Only)




6. Mid-Hinges



11. Aesthetic Mount Kit




12. Black Hinge &
Pintel Set




13. Galvanized
Hinge & Pintel Set




14. Clark Tip
Gravity
Cam
Hinge



15. ACME
Hinge
with
Gravity
Cam



16. Bullet Catch
Tie-Back (wood)



17. Bullet Catch
Tie-Back (masonry)



18. Bahama Flat/Lintel
Hinge



19. Bahama Build-Out
Hinge



20. Bahama Shutter
Push Rods



1 3/8" DESIGNLINE SHUTTERS

Designline Flush Stile & Rail Exterior Shutters

Flush Stile & Rail Shutters with Variable Fixed Louvers



1 7/8" x 3/8"
Traditional Louver
Designline
Flush Stile &
Rail Shutter



2 1/4" x 3/8"
European Louver
Designline
Flush Stile &
Rail Shutter




2 1/2" x 3/8"
Traditional Louver
Designline
Flush Stile &
Rail Shutter



3 1/2" x 3/8"
Traditional Louver
Designline
Flush Stile &
Rail Shutter




2 Section
Designline
Flush Stile &
Rail Fixed Louver
Shutter with
Solid Arch Top



2 Section
Designline
European Louver
Over Raised
Panel Shutter

Designline Flush Stile & Rail Louvered Shutters are available with traditional or European louver profiles. Shutters may be ordered in a variety of configurations or built to customer specifications. Call for quote.



Flush Stile & Rail Shutters with Variable Panels



Designline Flush Stile & Rail Paneled Shutters may be ordered with raised or flat panels. The V-Groove option is also available. Shutters may be ordered in a variety of configurations or built to customer specifications. Call for quote.



1 3/8"
Designline
Flush Stile & Rail
Raised Panel
Shutter with
2 Equal Sections



1 3/8"
Designline
Flush Stile & Rail
Raised Panel
Shutter with
2 Equal Sections
and V-Groove
Option



1 3/8"
Designline
Flush Stile & Rail
Flat Panel
Shutter with
2 Equal Sections
and V-Groove
Option



1 3/8"
Designline
Flush Stile & Rail
Raised Panel
Shutter with
2 Equal Sections
and Standard
Arch Top




1 3/8"
Designline
Flush Stile & Rail
Raised Panel
Shutters with
2 Equal Sections
and Decorative
Cutout

1 3/8" DESIGNLINE SHUTTERS

Designline Flush Stile & Rail Exterior Shutters

1 3/8" FLUSH STILE & RAIL FRAME CONSTRUCTION



SPECIFICATIONS

Side Stiles:	2 3/4"	x	1 3/8"
Top Rail:	2 3/4"	x	1 3/8"
Center Rail:	2 3/4"	x	1 3/8"
Bottom Rail:	3 3/4"	x	1 3/8"

Frame thickness modification to 1 5/8" available.

Louvers

Louver Thickness:	3/8"
Traditional Louver Widths:	1 7/8", 2 1/2" or 3 1/2"
European Louver Widths:	1 3/4", 2 1/4" or 3 1/4"

Panels

Singled-sided Panel Thickness:	5/8"
Double-sided Panel Thickness:	3/4"
V-Groove Width:	1/2"

WESTERN RED CEDAR

Western Red Cedar is naturally decay resistant, light weight, straight and has the lowest expansion ratio of any species. The tight grain of Western Red Cedar is unmatched for stability.

ADDITIONAL WOOD SPECIES


Exterior wood shutters are also offered in a variety of other wood species, including Spanish Cedar, Cypress and African Mahogany.

BAHAMA STYLE SHUTTER HANGING OPTIONS


Bahama shutters are mounted from the top of the window rather than the side. Shutters above 32" require a substile to help protect against warping of the louvers.

SPANDRELS

The term spandrel has come to refer to a short, wide panel filling the space between two similar objects on a building. For example, a spandrel could be used between columns on a porch or as decorative balcony railings.



Designline LOUVER OPTIONS




Traditional Louver Profile

Thickness: 3/8"
Widths: 1 7/8", 2 1/2" or 3 1/2"

European Louver Profile

Thickness: 3/8"
Width: 1 3/4", 2 1/4" or 3 1/4"



Louvered Shutter Decorative Trim Moulding
Southern Shutter offers decorative trim moulding that can be surface-mounted to any of our *flush sanded* exterior louvered shutters.

Designline PANEL OPTIONS



Decorative Trim Moulding

A variety of decorative trim moulding profiles help you create a unique shutter design. Paneled trim mouldings are inset-mounted.

Panel Profiles



Decorative Cutouts

Cutouts and carvings are offered in a wide variety of standard designs. Cutout patterns designed by our customers are also welcomed.



1 3/8" HEAVY DUTY SHUTTERS

Heavy Duty Recessed Stile & Rail Exterior Shutters

Heavy Duty Recessed Stile & Rail Shutters with 1 5/8" x 3/8" Louvers




1 3/8" Heavy Duty Recessed Stile & Rail Fixed Louver Shutter with 2 Equal Sections



1 3/8" Heavy Duty Recessed Stile & Rail Fixed Louver Shutter with Solid Arch Top



1 3/8" Heavy Duty Recessed Stile & Rail Fixed Louver Shutter with Standard Quarter Arch Top



1 3/8" Heavy Duty Recessed Stile & Rail Fixed Louver Shutter with Custom Rail Placement & 3 Equal Sections



1 3/8" Heavy Duty Recessed Stile & Rail Fixed Louver Shutter with False Control Rods and Mouse Holes

Heavy Duty Recessed Stile & Rail Shutters provide enhanced stability and endurance. Shutters may be ordered in a variety of fixed louver or panel configurations. For more information visit www.southernshutter.com.



Heavy Duty Recessed Stile & Rail Shutters are an excellent choice for Spandrels and Bahama Style shutters.



Heavy Duty Recessed Stile & Rail Shutters with Variable Panels



Heavy Duty Recessed Stile & Rail Shutters may be ordered with raised or flat panels. A variety of custom configurations are available, including V-Grooves, radial tops, and decorative cutouts. Shutters may also be built to meet customer specifications.



1 3/8" Heavy Duty Recessed Stile & Rail Raised Panel Shutter with 2 Equal Sections



1 3/8" Heavy Duty Recessed Stile & Rail Flat Panel Shutter with 2 Equal Sections



1 3/8" Heavy Duty Recessed Stile & Rail Raised Panel Shutter with 2 Equal Sections & V-Grooves



1 3/8" Heavy Duty Recessed Stile & Rail Raised Panel Shutter with 2 Equal Sections & Decorative Trim




1 3/8" Heavy Duty Recessed Stile & Rail Fixed Louver Over Raised Panel Shutter

1 3/8" HEAVY DUTY SHUTTERS

Heavy Duty Recessed Stile & Rail Exterior Shutters



1 3/8" RECESSED STILE & RAIL FRAME CONSTRUCTION



SPECIFICATIONS

Side Stiles: 2" x 1 3/8"
 Top Rail: 3 3/4" x 1 3/16"
 Center Rail: 2 3/4" x 1 3/16"
 Bottom Rail: 3 3/4" x 1 3/16"

Louvers

Louver Thickness: 3/8"
 Louver Width: 1 5/8"

Panels

Singled-sided
 Panel Thickness: 5/8"
 Double-sided
 Panel Thickness: 3/4"
 V-Groove Width: 1/2"



Panel Profiles



WESTERN RED CEDAR

Western Red Cedar is naturally decay resistant, light weight, straight and has the lowest expansion ratio of any species. The tight grain of Western Red Cedar is unmatched for stability.

ADDITIONAL WOOD SPECIES

Exterior wood shutters are also offered in a variety of other wood species, including Spanish Cedar, Cypress and African Mahogany.




BAHAMA STYLE SHUTTER HANGING OPTIONS

Bahama shutters are mounted from the top of the window rather than the side. Shutters above 32" require a substile to help protect against warping of the louvers.

SPANDRELS


The term spandrel has come to refer to a short, wide panel filling the space between two similar objects on a building. For example, a spandrel could be used between columns on a porch or as decorative balcony railings.



CUSTOM OPTIONS

Heavy Duty Exterior Shutters manufactured by Southern Shutter can be customized to meet most customer specifications. Some common applications are shown on the opposite page. Many other options are available. For additional options call (334) 264-6158, or visit our website www.southernshutter.com. Additional charges to the base price of the shutters apply.


HEAVY DUTY SHUTTER SURFACE MOUNT TRIM OPTIONS



Decorative Trim Moulding for Fixed Louver Shutters

Southern Shutter offers decorative trim moulding that can be surface-mounted to any of our **flush sanded** exterior louvered shutters. Heavy Duty Recessed Stile & Rail Shutters **Must be Flush Sanded** to apply surface mounted trim additional charge applies.

HEAVY DUTY PANEL OPTIONS



Decorative Trim Moulding

A variety of decorative trim moulding profiles help you create a unique shutter design. Paneled trim mouldings are inset-mounted.



Decorative Cutouts

Cutouts and carvings are offered in a wide variety of standard designs. Cutout patterns designed by our customers are also welcomed.



1 1/8" STANDARD SHUTTERS

Standard Flush Stile & Rail Exterior Shutters

Standard Flush Stile & Rail Shutters with 1 3/8" x 1/4" Louvers



1 1/8" Standard
Flush Stile
& Rail Fixed
Louver Shutter
with 2 Equal
Sections



1 1/8" Standard
Flush Stile
& Rail Fixed
Louver Shutter
with 2 Equal
Sections with
Solid Arch Top



1 1/8" Standard
Flush Stile
& Rail Fixed
Louver Shutter
with 2 Equal
Sections with
Quarter Arch Top



1 1/8" Standard
Flush Stile
& Rail Fixed
Louver Over
Raised Panel
Combination
Shutter




1 1/8" Standard
Flush Stile
& Rail Fixed
Louver Shutter
with False Control
Rods and Mouse
Holes



Standard Flush Stile

& Rail Shutters are available in a variety of fixed louver or panel configurations. Custom options are offered in both louvered and paneled styles, including radial tops, and decorative cutouts, V-Groove panels, and more. Shutters may also be built to customer specifications.

Standard Flush Stile & Rail Shutters with Variable Panels



The wide variety of custom options allows the customer to create a unique shutter design for their individual style. Choose from standard options or submit your own design specifications.



1 1/8"
Standard
Flush Stile & Rail
Raised Panel
Shutter with
2 Equal Sections



1 1/8"
Standard
Flush Stile & Rail
Flat Panel Shutter
with
2 Equal Sections



1 1/8"
Standard
Flush Stile & Rail
Raised Panel
Shutter with
2 Equal Sections
& V-Grooves



1 1/8"
Standard Flush
Stile & Rail Raised
Panel Shutter
with Rail Placement
and Small Middle
Section





1 1/8"
Standard Flush
Stile & Rail
Raised Panel
Shutter with 2
Equal Sections &
Decorative Cutout

1 1/8" STANDARD SHUTTERS

Standard Flush Stile & Rail Exterior Shutters



1 1/8" FLUSH STILE & RAIL FRAME CONSTRUCTION



SPECIFICATIONS

Side Stiles:	1 1/2" x 1 1/8"
Top Rail:	2 3/4" x 1 1/8"
Center Rail:	2 3/4" x 1 1/8"
Bottom Rail:	3 3/4" x 1 1/8"

Louvers

Louver Thickness:	1/4"
Louver Width:	1 3/8"


Panels

Singled-sided Panel Thickness:	5/8"
Double-sided Panel Thickness:	3/4"
V-Groove Width:	1/2"

Traditional Louver Profile



Panel Profiles



WESTERN RED CEDAR

Western Red Cedar is naturally decay resistant, lightweight, straight and has the lowest expansion ratio of any species. The tight grain of Western Red Cedar is unmatched for stability.



CUSTOM OPTIONS

Standard Duty Exterior Shutters manufactured by Southern Shutter can be customized to meet most customer specifications. Some common applications are shown on the opposite page. Many other options are available. For additional options call (334) 264-6158 or visit our website www.southernshutter.com. Additional charges to the base price of shutters apply.

EXTERIOR FINISHING OPTIONS

Option 1: Spray Primed.

Each shutter is sanded and sprayed with a quality oil-based primer. Additional light sanding is required prior to finishing.


Option 2: Primed and Finished*.

Each shutter is sanded, primed with two coats of oil-based primer and sanded again. Then the shutters are finished with a top quality exterior paint of your choice.

* Please refer to our online Southern Shutter Color Selections Chart for available paint colors. Finishing options are separate charges. They are not included in the base shutter price. Finishing options may require a minimum square footage order or upcharge for under minimum.




STANDARD DUTY LOUVER SURFACE TRIM OPTIONS



Decorative Trim Moulding for Fixed Louver Shutters

Southern Shutter offers decorative trim moulding that can be surface-mounted to any of our flush sanded exterior louvered shutters.

HEAVY DUTY PANEL OPTIONS



Decorative Trim Moulding

A variety of decorative trim moulding profiles help you create a unique shutter design. Paneled trim mouldings are inset-mounted.



Decorative Cutouts

Cutouts and carvings are offered in a wide variety of standard designs. Cutout patterns designed by our customers are also welcomed.



1-3/8" HEAVY DUTY SHUTTERS

Heavy Duty Recessed Stile & Rail Movable Louver Shutters

Heavy Duty Recessed Stile & Rail Movable Louver Shutters with Variable Louvers



1-7/8" x 3/8"
Movable Louver
Recessed Stile & Rail
Shutter



2-1/2" x 3/8"
Movable Louver
Recessed Stile & Rail
Shutter



3-1/2" x 3/8"
Movable Louver
Recessed Stile & Rail
Shutter



Recessed Stile & Rail Movable Louver Spandrel



2 Section Recessed
Stile & Rail Movable
Louver Shutter with
Quarter Arch Top




2 Section Recessed
Stile & Rail Movable
Louver Over Raised
Panel Shutter



2 Section Recessed
Stile & Rail Movable
Louver Shutter with
Solid Arch Top



2 Section Recessed
Stile & Rail Movable
Louver Shutter with
Rail Placement



Recessed
Stile & Rail
Movable
Louver
Bahama
Style
Shutter

(One
substile only
on Bahama
and Spandrel
shutters)


Heavy Duty Recessed Stile & Rail Movable Louver Shutters are available in a variety of custom configurations — some of which are pictured here — or we can build custom shutters to your specifications. For more information call (334) 264-6158 or visit our website www.southernshutter.com.

1-3/8" HEAVY DUTY SHUTTERS


Heavy Duty Recessed Stile & Rail Movable Louver Shutters



1-3/8" RECESSED STILE & RAIL FRAME CONSTRUCTION



MORTISE & TENON CONSTRUCTION



SPECIFICATIONS


Side Stiles:	2"	x	1-3/8"
Top Rail:	3-3/4"	x	1-3/16"
Center Rail:	2-3/4"	x	1-3/16"
Bottom Rail:	3-3/4"	x	1-3/16"

TRADITIONAL LOUVER PROFILE

Thickness: 3/8"

Widths:

1-7/8", 2-1/2", or 3-1/2"



WESTERN RED CEDAR

Western Red Cedar has been our choice material for over 45 years. Naturally decay resistant, light weight, straight and it has the lowest expansion ratio of any species. The tight grain of old growth Western Red Cedar is unmatched for stability.



ADDITIONAL WOOD SPECIES are also offered, including Spanish Cedar, Cypress and African Mahogany.



CUSTOM OPTIONS

Exterior Movable Louver Shutters can be ordered with a variety of standard design options or we can build them to meet most customer specifications. Some common applications are shown on the opposite page. For more information or additional options call (334) 264-6158 or visit our website www.southernshutter.com. Additional charges may apply.

EXTERIOR SHUTTER FINISHING OPTIONS

- **Option 1: Spray Primed.**
Each shutter is sanded and sprayed with a quality oil-based primer. Additional light sanding is required prior to finishing.
- **Option 2: Primed and Finished*.**
Each shutter is sanded, primed with two coats of oil-based primer and sanded again. Then the shutters are finished with a top quality exterior paint of your choice.

* All color finishes may be matched to your national brand of paint by supplying the manufacturer's brand name and color number or code.

Additional charges to base shutter price apply.





BOARD & BATTEN SHUTTERS

Exterior Wood Shutters with Variable Boards & Options

Board & Batten Shutters with Variable Board and Style Options



3 Board and
2 Batten
Shutter



2 Board and
2 Batten Shutter
with Decorative
Cutout



5 Board and
3 Batten Shutter
with Extra Wide
Board Spacing



3 Board and
3 Batten Shutter
with Eyebrow
Arch Top





4 Board and
3 Batten
Shutter with
Decorative Cutout



3 Board and
2 Batten Shutter
with Quarter
Arch Top



BOARD & BATTEN CONSTRUCTION



SPECIFICATIONS


Standard Board Gap: 1/8"

- **Vertical Boards** –
Board width determined by overall shutter width and number of boards as specified by the customer.
- **Horizontal Battens** –
1" thick x 3 1/2" wide
- It is recommended that Board & Batten Shutters **over 42"** in height be constructed with **3 horizontal boards**.



WESTERN RED CEDAR

Western Red Cedar is naturally decay resistant, light weight and straight. The tight grain of old growth Western Red Cedar is unmatched for stability.




ADDITIONAL WOOD SPECIES

are also offered, including Spanish Cedar, Cypress and African Mahogany.



DECORATIVE CUTOUTS

Cutouts and carvings are offered in a wide variety of standard designs. Patterns designed by our customers are also welcomed. *Cutouts available on shutters with even numbered vertical boards only.*



CUSTOM OPTIONS

Exterior Board & Batten Shutters manufactured by Southern Shutter can be constructed to meet most customer specifications. Select from the

number of boards or battens to special widths, gaps, cutouts or other configurations.

CEDAR VENTILATORS

Western Red Cedar Ventilators and Gables



Octagonal Front with Square Back Ventilator



Octagonal Front with Octagonal Back Ventilator



Round Front with Octagonal Back Ventilator



Keystone Brick Mould Front with Square Back Ventilator



Octangular Top Front with Rectangular Back Ventilator



Peak Top Front with Rectangular Back Ventilator



Half Round Top Front with Rectangular Back Ventilator



Rectangular Front with Rectangular Back Ventilator



Half Round Front with Rectangular Back Ventilator




Rectangular Front with Rectangular Back Ventilator with Dripsill



Half Round Front with Rectangular Back Ventilator with Dripsill



All ventilator components exposed to weather are constructed of durable Western Red Cedar. Color varies from light blonde to deep reds and browns. Western Red Cedar is recommended for its natural beauty and decay-resistant durability. It is easily stained, primed and painted, or left unfinished, it will age to a beautiful silvery tone.



Special Trim and Sizing Available on all Ventilators.

- All ventilators are built to **rough opening dimensions** unless otherwise specified by customer.
- Actual box dimensions are undersized 1/2" to fit specified rough opening dimensions.
- All vent components exposed to weather are constructed of durable Western Red Cedar.
- 2-1/4" Jamb
- WW 180 Brick Mould
1-1/4" thick x 2" wide
- Two-piece construction is recommended for ventilators **wider than 72"** or warranty is void.



SOUTHERN SHUTTER COMPANY

PVC COMPOSITE SHUTTERS

LOUVERED • PANELED • BOARD & BATTEN



Southern Shutter is excited to announce the introduction of our line of premium PVC Composite Shutters. We have teamed up with Weather Pro Trim, a division of Clearview Architectural to develop a smooth-finished cellular PVC shutter that is maintenance-free, extremely durable, and fully functional. Our PVC components are formulated

with heat-dissipating stabilizers that allow the shutter to thrive in the harshest summer conditions, while

at the same time allowing the ultimate protection against rot and insects. Utilizing an authentic chemically-welded mortise and tenon, our stile and rail construction allows the shutter to be placed on hinges and be fully operational. Factory priming is included all composite shutters allowing for high quality latex paint to be applied on the job site, or shutters can be ordered factory-finished with a water born urethane acrylic finish and ready to install. Southern Shutter has spent years developing and extensively testing this product line, and we are proud to announce that the product has exceeded all of our expectations.

We are looking forward to meeting your composite shutter needs. Please email quote requests to sales@southernshutter.com or fax 334-264-6001 for a custom quote.



PREMIUM PVC
COMPOSITE SHUTTERS
LOUVERED • PANELED • BOARD & BATTEN

SOUTHERN SHUTTER COMPANY

www.southernshutter.com

Email: sales@southernshutter.com

Telephone: 334-264-6158

Fax: 334-264-6001



PREMIUM PVC COMPOSITE FIXED LOUVER SHUTTERS



2 Equal Sections
2 1/2" Fixed Louver
Shutter



3 Equal Sections
2 1/2" Fixed Louver
Shutter



2 Equal Sections
1 7/8" Fixed Louver
Shutter



3 Equal Sections
1 7/8" Fixed Louver
Shutter



3 Section Small Top
1 7/8" Fixed Louver
Shutter



2 Equal Sections
1 7/8" Fixed Louver
Shutter with
Eyebrow Arch



2 Equal Sections
1 7/8" Fixed Louver
Shutter with Quarter
Round Arch



2 Equal Sections
2 1/2" Fixed Louver
Shutter with Quarter
Round Arch



2 Equal Sections
Raised Panel over
1 7/8" Fixed Louver
Combination Shutter




3 Sections with Small
Raised Panel Center
and 1 7/8" Fixed Louver
Combination Shutter

PREMIUM PVC COMPOSITE FIXED LOUVER SHUTTERS



SPECIFICATIONS


Side Stiles:	2 1/2"	x	1 3/8"
Top Rail:	2 1/2"	x	1 3/8"
Center Rail:	2 1/2"	x	1 3/8"
Bottom Rail:	4"	x	1 3/8"
Louver Thickness:			3/8"
Louver Widths:			17/8" or 2 1/2"



TRADITIONAL LOUVER PROFILE

Thickness: 3/8"

Width: 17/8" or 2 1/2"




MORTISE & TENON CONSTRUCTION



BAHAMA SHUTTERS

Bahama Shutters, hinged at the top and propped open at the bottom, can be created from 17/8" or 2 1/2" louver profiles. Full length Bahama shutters convey a tropical feel. Popular as window accents, they often cover a portion of the window.

Multiple substiles can be added to create spandrels.



Louver Shutter without Substile



Louvered Shutter with Substile



PROFESSIONAL FINISHING

All Southern Shutter Premium PVC Composite Shutters are delivered from the factory pre-sanded and spray-primed with our high-quality primer. These shutters are delivered to the customer ready for final finishing and installation. Light Sanding is required prior to final finishing.

FACTORY-FINISHED OPTION

As an added service to our customers, Southern Shutter Company can factory-finish your shutters and deliver them finished and ready for installation. The primed shutters are finished with a water born urethane acrylic finish. Custom color charge may be applied to orders less than 60 square feet.

- Color finishes may be matched to national brands by supply manufacturer's brand name, color number/code or color sample. See Southern Shutter Color Selection Chart or call for quote on custom colors.
- Finishing cost is in addition to the price of the shutters.
- See Price Sheet for your specific shutter for finishing price charges.
- Finishing options require a minimum order of 3 openings or 3 pairs.

CUSTOM CONFIGURATIONS

PVC Composite Louver Shutters may be ordered in additional custom configurations to those pictured here, including styles built to your specifications. For additional options see the PVC Composite price pages, call 334-264-6158 or visit our website www.southernshutter.com.



PREMIUM PVC COMPOSITE PANELED SHUTTERS




2 Equal Sections
Raised Panel Shutter




2 Equal Sections
Flat Panel Shutter




3 Equal Sections
Raised Panel Shutter



3 Sections with
Small Middle Section
Raised Panel Shutter



3 Sections with
Small Top Section
Raised Panel Shutter



2 Equal Sections
Flat Panel Shutter with
Eyebrow Arch



2 Equal Sections
Raised Panel Shutter
with Quarter Round
Arch



2 Equal Sections
17/8" Fixed Louver Over
Raised Panel Shutter with
Quarter Round Arch



2 Equal Sections
Raised Panel over
17/8" Fixed Louver
Combination Shutter





2 Equal Sections
Raised Panel Shutter
with Decorative
Cutout

PREMIUM PVC COMPOSITE PANELED SHUTTERS



SPECIFICATIONS

Side Stiles:	2 1/2"	x	1 3/8"
Top Rail:	2 1/2"	x	1 3/8"
Center Rail:	2 1/2"	x	1 3/8"
Bottom Rail:	4"	x	1 3/8"
Panel Thickness:			5/8"



MORTISE & TENON CONSTRUCTION



PROFESSIONAL FINISHING

All Southern Shutter Premium PVC Composite Shutters are delivered from the factory pre-sanded and spray-primed with our high-quality primer. These shutters are delivered to the customer ready for final finishing and installation. Light Sanding is required prior to final finishing.

CUSTOM CONFIGURATIONS

PVC Composite Louver Shutters may be ordered in additional custom configurations to those pictured here, including styles built to your specifications. Call (334) 264-6158 or visit our website www.southernshutter.com




DECORATIVE CUTOUTS

Cutouts and carvings are offered in a wide variety of standard designs. Given our expanded CNC capabilities, cutout patterns designed by our customers are also welcomed. Call for price quote.

FACTORY FINISHED OPTION

As an added service to our customers, Southern Shutter Company can factory-finish your shutters and deliver them finished and ready for installation. The primed shutters are finished with a water born urethane acrylic finish. Custom color charge may be applied to orders less than 60 square feet.

- Please refer to our Online Southern Shutter Company Color Selections Chart for available paint colors. For Custom paint colors call for quote.
- Finishing cost is in addition to the price of the shutters.
- Finishing options require a minimum order of 3 openings or 3 pairs.
- See Price Sheet for your specific shutter for finishing price charges.





PREMIUM PVC COMPOSITE BOARD & BATTEN SHUTTERS



3 Board and 3 Batten Shutter



3 Board and 3 Batten Shutter
with Quarter Round Arch Top



4 Board and 3 Batten Shutter
with Eyebrow Arch Top and
Decorative Cutout



4 Board and 2 Batten Shutter
with Z-Board




4 Board and 2 Batten Shutter



4 Board and 3 Batten Shutter



4 Board and 2 Batten Shutter
with Quarter Round Arch Top



5 Board and 3 Batten Shutter

PREMIUM PVC COMPOSITE BOARD & BATTEN SHUTTERS




SPECIFICATIONS

Standard Board Gap: 1/4"

- **Vertical Boards** — Board width determined by overall shutter width and number of boards. Outside boards will vary with shutter width.
- **Horizontal Battens** — 1" thick x 4" wide
- It is recommended that Board & Batten Shutters over 42" in height be constructed with 3 horizontal boards.

BOARD & BATTEN CONSTRUCTION



PROFESSIONAL FINISHING

All Southern Shutter Premium PVC Composite Shutters are delivered from the factory pre-sanded and spray-primed with our high-quality primer. These shutters are delivered to the customer ready for final finishing and installation. Light Sanding is required prior to final finishing.

FACTORY FINISHED OPTION

As an added service to our customers, Southern Shutter Company can factory-finish your shutters and deliver them finished and ready for installation. The primed shutters are finished with a water born urethane acrylic finish.

Custom color charge may be applied to orders less than 60 square feet.

- Color finishes may be matched to national brands by supply manufacturer's brand name, color number/code or color sample. See Southern Shutter Color Selection Chart or call for quote on custom colors.
- Finishing cost is in addition to the price of the shutters.
- See Price Sheet for your specific shutter for finishing price charges.
- Finishing options require a minimum order of 3 openings or 3 pairs.



DECORATIVE CUTOUTS

Cutouts and carvings are offered in a wide variety of standard designs. Given our expanded CNC capabilities, patterns designed by our customers are also welcomed. (Cutouts available on shutters with even numbered vertical boards only.)

CUSTOM OPTIONS

Exterior Premium PVC Composite Board & Batten Shutters manufactured by Southern Shutter can be customized. See custom options on following price pages..



EXTERIOR / INTERIOR

Designline DOORS

• 1 3/8" Flush Stile & Rail Doors with Variable Louvers & Panels •

• 1 3/8" FLUSH STILE & RAIL DOORS WITH VARIABLE LOUVERS & PANEL PROFILES •



2 Equal Sections
2 1/2" Louvers



Combination
Single Sided
Raised Panel
1 7/8" Louvers



Combination
V-Groove
Raised Panel
1 7/8" Louvers



2 Equal Sections
Single Sided
Raised Panel



2 Equal Sections
V-Groove Flat
Offset Panel

**Decorative
Trim Profiles
Inset Trim on
Panels only
Surface Mount Trim
on Louvers**



3/8"
Quarter Round (QR)



3/8"
Half Round (HR)



3/4" x 3/8"
Decorative Trim 1 (D1)




3/4" x 3/8"
Decorative Trim 2 (D2)



3/4" x 3/8"
Decorative Trim 3 (D3)



1 1/4" x 3/8" Decorative
Trim 4 (D4) Flat panel only.



2 Equal Sections
2 1/2" Louvers
with Vertical Subtile



Combination
1 7/8" Louvers over
Single Sided Raised Panel
with Vertical Subtile



2 Equal Sections
Single Sided Raised Panel
with Vertical Subtile

Designline Doors
Can be built up to
36" without Substile

Doors over 36" are
constructed with
Vertical Substiles.

Arches of all types
are offered in our
Designline Door
Program.


Call for Custom
option quotes.

EXTERIOR / INTERIOR DesignLine DOORS



- 1 3/8" Flush Stile & Rail Doors with Variable Louvers & Panels •

1 3/8" FLUSH STILE & RAIL FRAME CONSTRUCTION




SPECIFICATIONS


Side Stiles:
Substile: for Doors over 36"
Top Rail:
Center Rail:
Bottom Rail:

5"	x	1 3/8"
2 3/4"	x	1 3/8"
5"	x	1 3/8"
5"	x	1 3/8"
8"	x	1 3/8"

Traditional Louvers
Thickness: 3/8"




European Louvers
Thickness: 3/8"



Panel Profiles:

Panel Thickness:
5/8"



3/4"
5/8"
5/8"
5/8"
5/8"
5/8"

FINISHING OPTIONS

Finishing options are separate charges not included in the base shutter price. Minimum order may be required.

Call for quote.

• Option 1: Spray Primed.

Each shutter is sanded and sprayed with a quality oil-based primer. Additional light sanding is required prior to finishing.

• Option 2: Primed and Prepped.

Each shutter is sanded, primed with two coats of oil-based primer, hand sanded and sealed. Ready for finishing.

• Option 3: Primed and Finished. * Ready for installation.

Each shutter is sanded, primed with two coats of oil-based primer and hand sanded again. Refer to Southern Shutter Company's Online Color Selection Chart for available color selections.



EXTERIOR WOOD SPECIES

WESTERN RED CEDAR



Western Red Cedar has been our choice material for over 50 years. Naturally decay resistant, light weight, straight and it has the lowest expansion ratio of any species. The tight grain of old growth Western Red Cedar is unmatched for stability.

ADDITIONAL WOOD SPECIES

Also offered, including Spanish Cedar, Cypress and African Mahogany.

INTERIOR WOOD SPECIES



Our standard Interior wood species for Interior Doors are Basswood.

* Red Oak, Cypress, Maple, African Mahogany and Yellow Pine are available call for quote.



INTERIOR WOOD SHUTTERS

Finishing Options and Hardware for Interior Wood Shutters

Order Your Interior Shutters Finished, Framed and Ready-to-Install



Quality Shutters Deserve a Quality Finish!

Interior shutters may be ordered unfinished or factory-finished in varying stages of completion.

Southern Shutter takes the guesswork out of shutter installation.

- **READY TO INSTALL:** Painted or Stained with Selected Hanging System; Ready for Installation.

Shutters are completely sanded, primed and finished in your choice of color or stain. All color finishes may be matched to your national brand of paint by supplying the manufacturer's brand name and color number or code. Shutters are then pre-fit in a complete hanging system, finished and ready-to-install.* See following page and ordering instructions for more details to select the best hanging system for your specific installation.

Finished shutters with hanging systems are priced per square foot, including shutters and finishing. (Minimum order may be required. Call for quote.) See price page for your specific shutter selection for square footage pricing. Finished shutters may require a minimum square footage order.

* Hanging systems are disassembled for shipping.


- **SHUTTER PANELS ONLY:** Panels and Hardware ordered separately.

Interior shutters are constructed of paint-grade hardwoods unless otherwise specified. 1 1/16" Plantation Movable Louver Shutters are shipped primed and sanded at no charge. 1 3/8" **DesignLine** Louvered and Paneled Shutters and 1 1/16" Plantation Raised Panel Shutters are shipped unfinished or may be ordered factory primed and sanded for an additional charge. Shutter panels are priced per pair. See price page for your specific shutter selection. Finished shutters may require a minimum order. Call for quote.


Proper Hardware Ensures a Proper Installation



Non-Mortise Wrap Around Hinge. Used to mount shutters to a hanging strip installed behind the side stile of the shutter. Choice of finish. Sold in pairs or complete mounting kit including 4 hinges, magnetic catch, knobs & hook latch.



Non-Mortise Butt Hinge Set. Used to attach shutters to a frame or window jamb. Choice of finish. Sold in pairs or complete mounting kit including 4 hinges, magnetic catch, knobs & hook latch.



Magnetic Catch.
Brown or white.



Café Door Mounting Kit.
Polished brass



Southern Shutter offers an extensive selection of interior hardware, including:

- **Non-Mortise Hinges**
Wrap-Around or Butt Hinges available in polished brass, antique brass, brushed nickel, chrome, oil rubbed bronze, and white finishes.

- **Magnetic Catches**
Brown or white.

- **Café Door Kits**
Polished brass gravity-action hinges return door to center or hold doors open.

INTERIOR WOOD SHUTTERS




Installation Options and Hanging Systems for Interior Wood Shutters

NOTE: Remember to *measure* to verify your numbers before selecting your shutters and the desired mounting procedure.

Shutters may be mounted inside or outside window casings using hanging strips or frames. In some applications it may be more efficient and simpler to mount your shutters to the window moulding using a framed hanging system. These systems allow for greater flexibility for windows with a shallow depth or that may be out of square. It is important that various parts of the window construction (casing, moulding, handles, etc.) allow enough space for louver extension when the shutter is closed and the louvers are fully open.


INSIDE FRAME MOUNT

- Measure the inside width of the window at both points (**W/A** and **W/B**), and the height at both points (**H/C** and **H/D**).
- Measure the window depth (**D/A**), the distance from the window casing to the window sash.
- Note: A deduction of 1/8" for clearance on inside frame hanging systems is recommended by the manufacturer.
- For hanging systems with hanging strips or mounting directly window jamb, use the lesser width and height dimension.




OUTSIDE FRAME MOUNT

- Locate area on casing to mount the 1 inch frame.
- Frame width (**FW**) is determined by measuring outside frame position left to right, including the 1 1/8" frame footprint.
- Frame height (**FH**) is determined by measuring outside frame position top to bottom, including the 1 1/8" frame footprint.
- To ensure flush mount of frame to window casing, frame position should be consistent on all sides of casing.




INSIDE CASING MOUNTS


L-FRAME HANGING SYSTEM 3 or 4-sided frame




Z-FRAME HANGING SYSTEM 3 or 4-sided frame



WRAP-AROUND HINGE & HANGING STRIP SYSTEM




DIRECT TO CASING MOUNT



OUTSIDE CASING MOUNTS

L-FRAME HANGING SYSTEM 3 or 4-sided frame





1 3/8" DESIGNLINE SHUTTERS

Designline Flush Stile & Rail Interior Shutters

Flush Stile & Rail Interior Shutters with Variable Fixed Louvers



13/8"
Designline
Flush Stile & Rail
Fixed Louver
Shutter with
1 7/8" Slats &
2 Equal Sections



13/8"
Designline
Flush Stile & Rail
Fixed Louver
Shutter with
2 1/2" Slats &
2 Equal Sections



13/8"
Designline
Flush Stile & Rail
Fixed Louver
Shutter with
3 1/2" Slats &
Decorative Trim



13/8"
Designline
Flush Stile & Rail
Fixed Louver
Shutter with
3 Sections
Rail Placement



13/8"
Designline
Flush Stile & Rail
Fixed Louver
Over Raised Panel
Combination
Shutter



INTERIOR WOOD SPECIES

Our standard interior species is Basswood. Other species offered include Red Oak, Cypress, African Mahogany. Call for special orders.

Flush Stile & Rail Interior Shutters with Variable Panels



As with our exterior shutters, interior shutters may be ordered with a variety of standard custom option, or we can build them to your specifications. Call for quotes.



13/8"
Designline
Flush Stile & Rail
Raised Panel
Shutter with
2 Equal Sections



13/8"
Designline
Flush Stile & Rail
Flat Panel
Shutter with
2 Equal Sections



13/8"
Designline
Flush Stile & Rail
V-Groove
Flat Panel
Shutter with
2 Equal Sections



13/8"
Designline
Flush Stile & Rail
Flat Panel
Shutter with
2 Equal Sections
& Decorative Trim





13/8"
Designline
Flush Stile & Rail
Raised Panel
Shutter with
3 Equal Sections

1 3/8" DESIGNLINE SHUTTERS



Designline Flush Stile & Rail Interior Shutters

1 3/8" FLUSH STILE & RAIL FRAME CONSTRUCTION



SPECIFICATIONS

Side Stiles:	2 3/4"	x	1 3/8"
Top Rail:	2 3/4"	x	1 3/8"
Center Rail:	2 3/4"	x	1 3/8"
Bottom Rail:	3 3/4"	x	1 3/8"
Louver Thickness:			3/8"
Shutter frame thickness modification to 1 5/8" available.			

Louvers

Louver Thickness 3/8"

Traditional Louver Widths: 1 7/8", 2 1/2", or 3 1/2"

European Louver Widths: 1 3/4", 2 1/4", or 3 1/4"

Panels

Single-Sided Panel Thickness: 5/8"

Double-Sided Panel Thickness: 3/4"

V-Groove Width: 1/2"

HANGING SYSTEMS

Southern Shutter offers a variety of hanging systems including L-frame, Z-Frame, hanging strips, and direct to casing mount.

(See *Interior Installation* page 31.) Track systems are also available on request. Hanging systems are shipped disassembled and packaged with our quality hardware for easy installation.



CAFÉ DOORS AND OTHER CUSTOM APPLICATIONS

Interior shutters offer many practical applications beyond



window treatment, including room dividers, bathroom stall doors and café doors.

RADIUS & CUSTOM DETAIL

Southern Shutter is equipped to fabricate custom shapes and designs from palladium arches, sunbursts, lever handle cutouts or other custom detailing.

ADDITIONAL OPTIONS

Interior Louvered Shutters manufactured by Southern Shutter can be customized to meet most customer specifications.

For additional options call (334) 264-6158 or visit our website www.southernshutter.com.

Designline LOUVER OPTIONS



Traditional Louver Profile
Thickness: 3/8"
Widths: 1 7/8", 2 1/2" or 3 1/2"

European Louver Profile
Thickness: 3/8"
Width: 1 3/4", 2 1/4" or 3 1/4"




DECORATIVE TRIM MOULDING

Southern Shutter offers decorative trim moulding that is surface-mounted to our flush-sanded interior louvered shutters giving them a distinctive, unique appearance.

Designline PANEL OPTIONS

TRIM MOULDING ADDS BEAUTY



A variety of decorative trim moulding profiles help you create a unique shutter design. Paneled trim mouldings are inset-mounted. See Trim Profiles for more information.



1 1/16" MOVABLE LOUVER

Recessed Stile & Rail Shutters with Variable Louvers

Recessed Stile & Rail Interior Shutters with Variable Movable Louvers



1 1/16"
Recessed Stile
& Rail Movable
Louver Shutter
with 1 7/8" Slats



1 1/16"
Recessed Stile
& Rail Movable
Louver Shutter
with 2 1/2" Slats



1 1/16"
Recessed Stile
& Rail Movable
Louver Shutter
with 3 1/2" Slats



SHUTTER LAYOUT

For maximum visibility, interior louver shutters may be installed as a single shutter.
For a more traditional configuration shutters may be installed in pairs or bi-folded.



1 1/16"
Recessed
Stile & Rail
Movable
Louver Shutter
with 4 1/2" Slats



1 1/16"
Recessed
Stile & Rail
Movable
Louver
Shutter with
Custom Rail
Placement



1 1/16"
Recessed Stile
& Rail Movable
Louver Over
Raised Panel
Combination
Shutter




1 1/16"
Recessed
Stile & Rail
Movable
Louver
Shutter with
3 Equal
Sections

1 1/16" MOVABLE LOUVER

Recessed Stile & Rail Plantation Movable Louver Shutters



1 1/16" RECESSED STILE & RAIL CONSTRUCTION



SPECIFICATIONS

Side Stiles:	2"	x	1 1/16"
Top Rail:	5 1/2"	x	3/4"
Center Rail:	3"	x	3/4"
Bottom Rail:	5 1/2"	x	3/4"
Louver Thickness:	3/8"		

Actual rail dimensions may vary due to incrementation.

FINISHING OPTIONS*

Finishing options are separate charges not included in the base shutter price. Minimum order may be required. Call for quote.

• Primed and Finished* with Hanging System; Ready for Installation.

Each shutter is cut to fit, sanded, primed with quality primer and sanded again. A final finish of oil-based enamel is then applied. Mounting hardware is included.

• Pre-Sanded and Stained with Hanging System; Ready for Installation.

Each shutter is thoroughly sanded and stained with quality stain. Then a satin varnish top coat is applied. Mounting hardware is included.




* Refer to Southern Shutter Company's Online Color Selections Chart for Available Color Selections.

HANGING SYSTEMS


Southern Shutter offers a variety of hanging systems including L-frame, Z-Frame, hanging strips, and direct to casing mount. Track systems are also available on request. Hanging systems are shipped disassembled and packaged with our quality hardware for easy installation.

MORTISE & TENON CONSTRUCTION



SHUTTER LAYOUT

For maximum visibility, some interior louver shutters may be installed as a single shutter. For a more traditional configuration shutters may be installed in pairs or bi-folded.



RADIUS & CUSTOM DETAIL

Interior shutters offer many practical and decorative options which can be created from most of the interior shutter styles. From café doors, to sunburst radials to other specialty trim and carvings, Southern Shutter Company can build custom shutters to your specifications.





1 1/16" PANELED SHUTTERS

Recessed Stile & Rail Plantation Paneled Shutters

Recessed Stile & Rail Interior Plantation Shutters with Variable Panels



1 1/16"
Recessed
Stile & Rail
Raised Panel
Shutter with
2 Equal
Sections


1 1/16"
Recessed
Stile & Rail
Raised Panel
Shutter with
2 Equal Sections &
V-Groove Option

1 1/16"
Recessed
Stile & Rail
Flat Panel
Shutter with
2 Equal
Sections

1 1/16"
Recessed
Stile & Rail
Flat Panel
Shutter with
2 Equal Sections &
V-Groove Option

1 1/16"
Recessed Stile
& Rail Movable
Louver Over
Raised Panel
Combination
Shutter

1 1/16" RECESSED STILE & RAIL CONSTRUCTION



FINISHING OPTIONS* (Additional charges / minimum order quantity applies.)

• Primed and Finished* with Hanging System; Ready for Installation.

Each shutter is cut to fit, sanded, primed with quality primer and sanded again. A final finish of oil-based enamel is then applied. Mounting hardware included.

• Pre-Sanded and Stained with Hanging System; Ready for Installation.

Each shutter is thoroughly sanded and stained with quality stain. Then a satin varnish top coat is applied. Mounting hardware included.

* Refer to Southern Shutter Company's online Color Selections Chart for available paint colors.

HANGING SYSTEMS


Southern Shutter offers a variety of hanging systems including L-frame, Z-Frame, hanging strips, and direct to casing mount. (See page 27.)

Track systems are also available on request.


SPECIFICATIONS

Side Stiles:	1 3/4"	x	1 1/16"
Top Rail:	4"	x	3/4"
Center Rail:	3"	x	3/4"
Bottom Rail:	4"	x	3/4"
Singled-sided Panel Thickness:			5/8"
Double-sided Panel Thickness:			3/4"
V-Groove Width:			1/2"

Shutter frame thickness modification available.



Panel Profiles







1 1/16" PLANTATION PANELED SHUTTERS

Recessed Stile & Rail Plantation Shutters with Variable Panels

1 1/16" RECESSED STILE & RAIL CONSTRUCTION



MORTISE & TENON CONSTRUCTION



SPECIFICATIONS

Side Stiles:	1 3/4"	x	1 1/16"
Top Rail:	4"	x	3/4"
Center Rail:	3"	x	3/4"
Bottom Rail:	4"	x	3/4"
Singled-sided Panel Thickness:	5/8"		
Double-sided Panel Thickness:	3/4"		
V-Groove Width:	1/2"		

Shutter frame thickness modification to 1 5/8" available.



FINISHING OPTIONS*

Finishing options are separate charges not included in the base shutter price.

Minimum order may be required. Call for quote.

- **Primed and Finished* with Hanging System; Ready for Installation.**

Each shutter is cut to fit, sanded, primed with quality primer and sanded again. A final finish of oil-based enamel is then applied. Mounting hardware is included.

- **Pre-Sanded and Stained with Hanging System; Ready for Installation.** Each shutter is thoroughly sanded and stained with quality stain. Then a satin varnish top coat is applied. Mounting hardware is included.

* All color finishes may be matched to your national brand of paint by supplying the manufacturer's brand name and color number or code.

HANGING SYSTEMS

Southern Shutter offers a variety of hanging systems including L-frame, Z-Frame, hanging strips, and direct to casing mount. Track systems are also available on request. Hanging systems are shipped disassembled and packaged with our quality hardware for easy installation.



VARIETY OF WOOD SPECIES

Our standard interior wood species for Plantation Paneled Shutters is Basswood. Other species offered include Red Oak, Cypress, African Mahogany, and Yellow Pine. Call for special orders.



3/4" EASY FIT SHUTTERSETS

Complete Movable Louver Shutters with Hardware Installation Kit

Everything You Need in a Complete Do-It-Yourself Shutter Hanging Kit.

Constructed from Basswood, each set contains 4 shutter panels, hanging strips and mounting hardware.

(Note: Hanging strips go behind shutters.)

Mounting Hardware Included.

- 2 ea. Adjustable Wood Hanging Strips
- 4 ea. 1 1/2" Screws for attaching Hanging Strips
- 2 ea. 5/8" Round Head Screws
- 28 ea. #6 x 5/8" Flat Head Screws
- 4 ea. 1/4" x 3/4" Flat Head Screws
- 2 ea. 1 1/8" Round Head Screws and Knobs
- 4 Slip Pin Hinges 1 Hook and Washer
- 4 Inner Panel Hinges



The classic look of the interior bi-fold shutter set is sure to enhance the décor of any home or office. 1 1/4" slats give this wood shutter set an old time charm. Available in lengths up to 40" this set is designed to cover half a window or may be double hung to cover the window entirely.


Each set comes with hanging strips, brass plated mounting hardware, and a hook and knob set. Shutters may be mounted inside or outside the window jamb. No trimming (width) is required for outside the jamb mounts. If mounted inside the jamb each shutter stile will trim 1/2" in width, 2" top and 2" bottom for length.

Available in a full range of widths and lengths. Shutter sets are shipped unfinished.

HOW TO SELECT THE RIGHT INSTALLATION


OUTSIDE MOUNT Installation

(No trimming required)



INSIDE MOUNT Installation

(Some trimming may be required)



INTERIOR HORIZONTAL WOOD BLINDS



Available in 1" and 2" widths. Cotton tape available only in 2" blinds.
(Blinds with 2" synthetic louvers also available.)



SLAT STAINS AND COLORS




Cotton Tape (Available on 2" Blinds only) add 15%

COTTON TAPE COLORS





As a compliment to our interior shutters, Southern Shutter Company is proud to offer expertly crafted horizontal wood blinds. Blinds may be ordered in a variety of decorator colors with color coordinated tapes.

BLIND COMPONENTS



BLIND MOUNTING OPTIONS





SOUTHERN SHUTTER COMPANY

Q U A L I T Y W O O D P R O D U C T S

Exterior & Interior Shutters

Ventilators • Shutter Hardware

1-800-344-8590

www.southernshutter.com

sales@southernshutter.com